

RECESSED ME08 8" APERTURE MRI LUMINAIRE

**Ligature-Resistant**

Pick proof caulk required

The **ME08** LED features innovative optical technology which provides powerful, focused illumination for examinations. Its exemplary design provides excellent vertical illumination as well as glare-free illumination for both the medical professional and patient. Best used in medical facilities such as: MRI rooms, Laboratories, Behavioral Health Facilities, Patient rooms, etc.

NEW!: OUR NEW 8" APERTURE IS ONE OF THE WIDEST ON THE MARKET!

HOUSING: .063" Aluminum (standard) sealed and enclosed housing, available in 8" aperture, with .080 aluminum trim standard.

FINISH: White powder-coat finish, anti-microbial paint optional.

ELECTRICAL SYSTEM: Remote mounted 1% dimming power supply, ordered by a separate part number. A RF/EM2 filter is required (supplied by others). LED system rated for >50K lifehours (L70 @ 75°C).

OPTICAL SYSTEM: Diffuser completely diffuses the view of the LEDs, while providing a 110° FWHM beam angle. Clear outer tempered glass lens of desired thickness.

LISTINGS: ETL Listed. Independently tested to IESNA LM-79 and LM-80 specifications. ETL Listed. IP65 with wet location option. BAA and BABA compliant. NSF Compliant.

WARRANTY: 5-Year Limited Warranty. Complete warranty and terms located at www.aelnow.com/warranty

Ordering Information on Next Page ►

Ordering Example: MEO8-40-25-G250-M-F-W

SERIES	CCT	OUTPUT	OUTER LENS	VOLTAGE	OPTIONS
ME08	30 3000K 35 3500K 40 4000K 50 5000K	1K 1000 lm/ 8W 25K 2500 lm/ 20W 35K 3500 lm/ 30W 43K 4300 lm/ 37W	G125 .125 Clear Tempered Glass G187 .187 Clear Tempered Glass G250 .250 Clear Tempered Glass	M Multi-Volt (120-277V)	F Fuse TH T25 Torx Head Screws With Center Pins AM Anti-Microbial White Paint WL Wet Location

FACEPLATE FINISH

W	Gloss White
W	White
BRZ	Bronze
N	Nickel
SP	Special

REMOTE MOUNTED POWER SUPPLY Ordering Information

SERIES	# OF DRIVERS	OPTIONS
RPB6 Fits up to 6 drivers	D1 1 LED 1% Dimming Drivers	AM Anti-Microbial White Paint
RPB9 Fits up to 9 drivers	D2 2 LED 1% Dimming Drivers	
	D3 3 LED 1% Dimming Drivers	
	D4 4 LED 1% Dimming Drivers	
	D5 5 LED 1% Dimming Drivers	
	D6 6 LED 1% Dimming Drivers	
	D7 7 LED 1% Dimming Drivers	
	D8 8 LED 1% Dimming Drivers	
	D9 9 LED 1% Dimming Drivers	

Link to POWER SUPPLY BOX CUT SHEET: <https://aelnow.com/cutsheets/RPB.pdf>

Dimensions on Next Page 

FIXTURE DIMENSIONS

