

CLI CLEAN ROOM
EXIT SIGN



OUR **CLI** is a completely sealed exit sign enclosure developed for applications such as clean rooms, high tech manufacturing facilities, laboratories, hospitals, food processing facilities, and commercial kitchens.

ELECTRICAL: 624 nm Red or 527 nm Green LED light source. Electrical components mounted to removable high impact, injection molded polycarbonate chassis.

LISTINGS: ETL and CETL listed for Wet Location. UL Classified IP65 per IEC 60598. Meets or exceeds UL924 and NFPA 101 Standards. Meets or exceeds CSA and NRCAN requirements. Rated for ISO 5/Class 100 clean rooms.

CONSTRUCTION: One-piece construction made from 18-gauge cold roll steel or stainless steel. Doorframe to match housing construction. Corners continuously seam welded and smooth. .125" clear polycarbonate lens sealed to the doorframe.

FINISH: TGIC white polyester powder coat with a 5-stage pre-treatment. Salt spray test of over 1,000 hours. Reflectance of 92%. See options for black exterior or anti-microbial White Paint. Stainless steel doorframe construction and finishes available.



WARRANTY: 5-Year Limited Warranty. Complete warranty and terms located at www.aelnow.com/warranty

Ordering Information on Next Page 



Ordering Example: CLI-2-B18-G-W-M-L-EM

SERIES	FACE	HOUSING	LEGEND COLOR	MOUNTING	VOLTAGE	CHEVRON OPTIONS	OPTIONS
CLI	1 Single	B20 20 Gauge Cold Roll Steel	G Green	W Wall Mount	M Multi-Volt (120-277V)	L Left Only	BLANK AC Only
	2 Double	B18 18 Gauge Cold Roll Steel	R Red	T Top Mount		R Right Only	EM Standard Emergency Backup (90 min)
		SH18 18 Gauge Stainless Steel (Polished 304)		S Side Mount		LR Left or Right Option	BLK Black Exterior (N/A with stainless steel doorframe material)
		SH186 18 Gauge Stainless Steel (Polished 316)					TPS Torx Head Tamper-Proof screws
		SHP18 18 Gauge Stainless Steel (Painted 304)					TS Torx Screwdriver
		SHP186 18 Gauge Stainless Steel (Painted 316)					AM Anti-Microbial White Paint (N/A with stainless steel doorframe material)
		SHB18 18 Gauge Stainless Steel (Brushed 304)					
		SHB186 18 Gauge Stainless Steel (Brushed 316)					
	ALH .063" Aluminum (Painted)						

DIMENSIONS



DEPTH +.25" FOR ROUGH IN



LENGTH +.25" FOR ROUGH IN