CATALOG #:

PROJECT:

TYPE:

GWP

LED Tempered Glass Wall Pack Series

Wattages: 50W, 70W, 100W
Tunable Wattages: 30W/50W/60W/70Wipsum



The Selectable LED Glass Wall PackLighting Series can be widely used for Indoor or Outdoor (Wet Location) Excellent for Museums,Art Galleries, Shopping Malls, Office Buildings, Walls and many other applications. Also features tempered glass for extra security.

ORDERING EXAMPLE: GWP-28-/56-27-345K-W-P

PRODUCT	POWER	VOLTAGE	CCT	FINISH	CONTROL
GWP Tempered LED Glass Wall Pack light	**28/56** 28W/42W 56W/70W **48/96** 48W/72W 96W/120W	**27** AC120-277V	**345K** 3000K/ 4000K /5000K	**D** (Dark Bronze) **W** (White) **B** (Black) **S** (Silvery)	**P** (Photocell)

DIMENSIONS:



Specifications:

Shell materials: Aluminum & PC
Finish: Dark Bronze(Standard)
Net weight : 10 .2(lbs)
Product Size: 360.8mmX235.5mmX183.3mm
14.20"X9.27"X7.22"

Control Module:

WATT/CCT SELECTABLE



Selectable CCT

Three position sliding switch
3000 K / 4000 K / 5000 K



Selectable Power

Four position sliding switch
100 % / 80% / 60% / 40 %



CATALOG #:

PROJECT:

TYPE:

(28W& 4000K)









(42W& 4000K)









(56W& 4000K)









ADVANTAGE ENVIRONMENTAL LIGHTING

N2M OUTDOOR LIGHTING
A DIVISION OF ADVANTAGE ENVIRONMENTAL LIGHTING

CATALOG #:

PROJECT:

TYPE:

(70W& 4000K)









(48W& 4000K)









(72W& 4000K)









CATALOG #:
PROJECT:
TYPE:

(96W& 4000K)









(120W& 4000K)